



Redox 40A 3-4S EVO Brushless ESC / Controller / XT60

Art.Nr.: RDX-ESCE40A

Redox 40A EVO Brushless ESC

Universal Electronic Speed Controller Redox EVO 40A for brushless motors designed for use in model airplanes and helicopters.

Programmed quickly with jumpers with a dedicated programming card (Redox Evo program card) or and using the throttle stick in a special programming mode (programming instructions included).



Programmable functions:

- Battery type: NiMH + NiCD / LiPo + Lilon (default)
- Low voltage cut-off method: Power reduction (default) / Immediate cut-off
- Voltage cut-off thresholds: low, medium, high (LiPo 2.8V / 3.0V / 3.2V / cell; NiMH 0% / 60% / 65% of start voltage)
- Timing: Auto/Low/High
- Throttle curve: soft (default) / linear
- Flight Mode (Governor): Off (Default) / Helicopter
- Motor rotation direction: regular CW (default) / reverse CCW
- Reset – brings back the factory default setup
- 2 brake modes: off - slow down / on – instant stop

Technische Daten:

- Length: 68 mm
- Width: 28 mm
- Height: 10 mm
- Weight: 42g
- Working voltage: LiPo 2-4s (7.4 - 14.8V) or 5-10 NiXX cells (6 - 12.0V)
- max. current [A]: 50A
- Constant current [A]: 40A
- BEC: 5V/3A
- Connectors soldered: 3x gold 3.5mm socket (from the motor) / XT-60 plug (battery side)

PREIS:

19,99 EUR

inkl. 19 % MwSt. zzgl. **Versandkosten**

