

Spektrum 14.8V 3200mAh 4S 30C Smart LiPo Battery: IC3

Art.Nr.: SPMX32004S30

Spektrum 14.8V 3200mAh 4S 30C Smart LiPo Battery: IC3

14.8V 3200MAH 4S 30C SMART LIPO BATTERY: IC3 ?BERSICHT

You'll never have to set charge preferences for a Spektrum Smart battery until you want to. When a Spektrum Smart LiPo battery is connected to a Spektrum Smart charger, unique parameters and health of that Smart LiPo battery upload from the Smart memory microchip integrated into the battery. Through the charger, you can view and set preferences, such as charge rates, so that all you have to do to charge the pack every time is press the charger "Start" button. Smart technology takes care of the rest.

Our new Spektrum Smart 50C LiPos come in a variety of popular sizes and are ready to drop into your RC aircraft for better performance, power, and reliability. These are the perfect packs for high performance models and power systems and a great upgrade to get more punch and power on nearly any setup.


Spektrum Smart LiPo Batteries Store Unique Data, Such As:

Spektrum Smart LiPo batteries also maintain an error log including the number of over-heat, over-discharge and over-charge incidents which can be helpful data in assuring that the battery you've chosen is right for the application. A Smart Battery uploads its charge parameters to a Spektrum Smart Charger automatically making charging as simple as pressing the "Start" button. The charge rate of every Smart Battery is customizable, allowing you to take full advantage of packs with faster charge ratings.

14.8V 3200mAh 4S 30C Smart LiPo Battery: IC3 Eigenschaften

- Integrated microchip stores unique parameters for each battery
- Smart discharge allows batteries to automatically discharge to a safe voltage
- Save time and hassle, while improving battery life
- Powerful 50C continuous discharge rating to deliver high performance and longevity
- Protective outer metal alloy sheet helps dissipate heat, hold battery shape, and increase durability


- No soldering required, equipped with IC3 and IC5 Connectors that are compatible with EC3 and EC5



counts

Smart Battery Technology

When connected to a Spektrum Smart charger, unique parameters and health of your Smart LiPo battery upload from the Smart memory microchip integrated into the battery. Through the charger, you can set and record preferred settings, such as charge rates and self-discharge options, so that all you have to do to charge the pack is press the "start" button. Smart technology will take care of the rest. Every Smart LiPo battery is factory assembled with the next-generation IC3™ and IC5™ output connector that



Data Rich

An integrated microchip allows each Smart Battery to save vital information such as battery brand, chemistry, cell count, capacity, number of charging cycles, number of discharges, C rating, battery temperature, and internal resistance. Additionally, each battery will save a log of unhealthy events such as over-charge, over-discharge, and over-

temperature. This allows you to make the most informed decision about the field or




Simple and Quick

Preset charge, discharge, and storage parameters are automatically relayed to a Spektrum Smart Charger making charging as simple as pressing the “start” button. Charge rate of individual batteries can be user customized allowing you to take full advantage of packs with faster charge ratings. The integrated microchip on each battery will remember the last s will



New IC3 & IC5 Connectors

The innovative Smart connection is made possible by an installed microchip on every battery, feeding the unique information through a data cable to the new IC3 and IC5 connectors. The IC series of connectors are designed from the ground up to provide a more solid connection, higher heat resistance, and effortless installation. For those using the popular EC3 and EC5 connectors, there's no need to worry. The IC connector series is entirely backwards compatible with existing connectors so you can use



vious.

Smart Discharge

LiPo batteries with Spektrum Smart™ technology practically take care of themselves. When programmed with a Spektrum Smart Charger, Smart Batteries will automatically discharge to your predetermined storage voltage when they are left to rest for a time period you choose, between 12 and 240 hours. This feature will help to extend the life of your Smart Batteries by preventing your batteries from sitting fully charged for an extended period of time, which can damage the chemical integrity of Lithium Polymer cells. This unique feature results in longer battery life expectancy and better performance over the life of the pack.

Spektrum Accessories 14.8V 3200mAh 4S 30C Smart LiPo Battery: IC3 Product Specs

- Application Aircraft
- Balance Lead Length 2.4" (60mm)
- Battery Balance Connector JST_XH
- Battery Type LiPo (3.7V per cell)
- Battery Voltage 14.8V
- Capacity 3200mAh
- Charge Protection Circuitry Yes
- Connector Type IC3
- Discharge Lead Length 3.5" (89 mm)

- Hard CaseNo
- Maximum Burst Discharge Rate30C
- Maximum Charge Rate5C
- Normal/Standard Charge Current3.2A
- Normal/Standard Charge Rate1C
- Number of Cells4
- Product Height1.02" (26 mm)
- Product Length5.55" (141 mm)
- Product Weight11.4oz (325g)
- Product Width1.65" (42 mm)
- Prop 65



California Residents **Prop 65 WARNINGS.**

- Short Circuit ProtectionYes
- Technology Smart
- Voltage14.8V
- Watt Hours47.36Wh
- Wire Gauge12 AWG

PREIS:

Unser bisheriger Preis ~~64,99 EUR~~

Jetzt nur 62,99 EUR

Sie sparen 3 % /2,00 EUR

inkl. 19 % MwSt. zzgl. **Versandkosten**

